

Dent Mix[®]

Moveable Mixing room

PIVAB[®]
THE ART OF SPRAY BOOTH



PIVAB[®]
THE ART OF SPRAY BOOTH



Dent Mix[®]

Dent Mix is a prefabricated mixing room and can be used with carbon filtration.

The solution is ideal for those who want to quickly expand their business or have a portable solution.

The mixing room can be easily moved with a pallet truck.

Dent Mix is delivered completely assembled on a pallet, and installed quickly and easily in your premises.

Install Dent Mix anywhere in the workshop. The room comes complete with internal floor and gives you sufficient working space for all your mixing room equipment without taking too much space from the workshop floor.



TECHNICAL INFORMATION

Luminaires EX-certified

Daylight 2 st á 2 x 58 kW

Filter

Pivab provides filters for all our products

Viledon M5 filter

Electric

230V 6Amp

Capacity 0-3000 m³/h

Weight 2000 kg

Recommended airflow 2500-3000 m³/h

INTERNAL DIMENSIONS, DE
T MIX 3,1

Length inside DM 3,1: 3300mm

Width inside DM 3,1: 2000mm

Height inside DM 3,1: 2300mm

EXTERNAL DIMENSIONS, DENT MIX 3,1

Length external DM 3,1: 3700mm

Width external DM 3,1: 2300mm

Height external DM 3,1: 2620mm

INSTALLATION

You take the supply air for your DENT MIX® directly from the premises and the exhaust air is led out through the roof or walls via spiral ducting.

This if you do not select the option carbon filter unit (ArtNr: 1000258 / 1000257)

The electricity in the Dent MIX® is internally connected with 230V 6A.

LIGHTING

The luminaires are ATEX certified. LED lighting is available.

Pivab luminaires are prepared for this, so you only need to swap out the fluo escent tube.

PRICE LIST, DENT MIX®

Item

Overview

Dimensions

DM 3,1
ArtNr: 1001740



L: 3700
W: 2300
H: 2620

(External)

Accessories - Dent Mix®

Item

Specification

Unit

KL

Classification plan

Dent Mix is an Atex-zone

CFU

ArtNr: 1000258

Carbon filter unit

CFU - VOC
ArtNr: 1000257

Carbon filter unit with
VOC

D-M 3,1 Filter pack
ArtNr: 1001765

Roof filter Viledon M5 1st

CUSTOMER COMMITMENT

Forklift for unloading (extending forks needed)

Power supply, 230V 6Amp. Electrical installation should be performed by a qualified person

Dent Mix has an option of active carbon filter. This means that you can reuse the energy in the exhaust air - without affecting the rest of the premises. It gives you lower energy costs and a more flexible installation.

Contact Pivab AB

SALES OFFICE

+46 (0)340-63 99 00
sales@pivab.se
#pivabfamily

DISCLAIMER

- *Assembly is calculated separately and can be offered by Pivab or our authorized service partner.*
- *Certain products are supplied assembled on pallets from the factory or can be installed easily by your own staff.*
- *Shipping costs will be added to all products*