

Dent Prep Wall[®]

Complete exhaust air wall with
filtration and fan



Dent Prep Wall[®]

Dent Prep Wall is equipped with 3 stages of filtration + can also be supplemented with carbon filters that are integrated inside the wall.

The exhaust air wall is complete with a frequency-operated fan controlled via a front panel.

The Control panel controls fan on / off and lighting on / off.

Also integrated into the wall is the 1st ATEX-class luminaire.

The wall can also be raised in an interval of 400mm to handle larger vehicles, both with or without ATEX-rated luminaire.

As an option, Pivab also has motor controlled drapes to create one closed workspace / place. These draperies can be ordered according to the customer's wishes.

Contact PIVAB for quotation.



TECHNICAL INFORMATION DENT PREP WALL

EX-luminaire

1st a: 2 x 58W

Filter

Paper filter, Paint pocket, F7 bagfilter, Carbon filter*
(*option)

Fan

EX-certified, 3kw 6,6A

Capacity

5000m³/h

Electric

3 phase 16A

Height i mm

3080 mm

Lenght i mm

2300 mm

Depth i mm

450 mm

Pivab provides filters for all our products

INSTALLATION

Recommended ceiling height for installation > 4000 mm

PRICE LIST, DENT PREP WALL

Accessories - Dent Prep Wall

Item

1001753 Carbon filter pack 24

1001754

Luminaries
C-sektion

Item

Overview

DPW
ArtNr: 1001752



1000259

VOC-
Sensor

1001755 DPW Filter pack Andrea Paperfilter 1pcs, Paintpocket 2pcs, Bagfilter F7 6pcs, (2pcs exchange)

CUSTOMER COMMITMENT

Shipping

Forklift for unloading

Installation

Contact Pivab

Electrical installation by a qualified person

Contact Pivab AB

SALES OFFICE

+46 (0)340-63 99 00
sales@pivab.se
#pivabfamily

DISCLAIMER

- *Assembly is calculated separately and can be offered by Pivab or our authorized service partner.*
- *Certain products are supplied assembled on pallets from the factory or can be installed easily by your own staff.*
- *Shipping costs will be added to all products*